

Fig. 2

| 400. | · , ·) | | | | 15 | |
|----------------------|---------------------|-------------|-------------|------------------------------|-----|--------|
| context server table | request handler | P. | | | 415 | |
| contex | request | (reference) | (reference) | reference) | _ | |
| | filename | gps.exe | ips.exe | l_r_a.exe | 414 | |
| | installation date | 2/10/2000 | 2/21/2000 | 2/10/2000 | 12 | Hig. 4 |
| | version | 1 | 1 | 1 | 412 | |
| | context server name | Sps | sdi | 403 location_region_analysis | 411 | |
| | | 401—gps | 402 ips | 403 | | |


| 500 | | | | | | attribut | attribute instance table |
|-----|----------------|------------------------------|----------------------------------|-------------|---------------------------|-----------------|---|
| | attribute name | context server name | value | uncertainty | timestamp | units | number of context clients consuming |
| 501 | user.location | gps | 47° 38.73° N, 122° 18.43° W | 0°.09° | 13:11:04.023 2/22/2000 | degrees/minutes | 2 |
| 505 | user location | sdī | 47° 38.745° N, 122° 18.424° W | 0° .021' | 13:11:01.118 2/22/2000 | degrees/minutes | 2 |
| 503 | user elevation | sdī | 22 | 5. | 13:11:01.118 2/22/2000 | meters | 1 |
| 504 | user.in_region | location_region_ analysis | none | none | ouou | none | 0 |
| | -511 | 515 | -513 | -514 | -515 | 516 | -517 |

Hig. S

| ٠009 | | context client table |
|------|------------------------|----------------------|
| | context clent name | message handler |
| 601 | 601 location map | (reference) |
| 602~ | 602 distance from home | (reference) |
| 603 | 603 region_analysis | (reference) |
| | | 612 |
| | Fig. (| |

| 700/ | | | | | | attribu | attribute instance table |
|------|----------------|------------------------------|----------------------------------|-------------|---------------------------|-----------------|---|
| | attribute name | context server name | value | uncertainty | timestamp | units | number of context clients consuming |
| 701 | user.location | sdB | 47° 38.73° N, 122° 18.43° W | .60° 0 | 13:11:04.023 2/22/2000 | degrees/minutes | 2 |
| 702 | user.location | ips | 47° 38.745° N, 122° 18.424° W | 0°.021° | 13:11:01.118 2/22/2000 | degrees/minutes | 2 |
| 703 | user.elevation | ips | 22 | 5. | 13:11:01.118 2/22/2000 | meters | 1 |
| 704 | user.in_region | location_region_ analysis | none | none | none | none | 1 |
| | _711 | 712 | _713 | 714 | 715 | 716 | _717 |

Hig. 7



| | | | | | | attribu | attribute instance table |
|----------------|------|---------------------|----------------------------------|-------------|---------------------------|-----------------|--|
| attribute name | | context server name | value | uncertainty | timestamp | units | number of context clients consuming. |
| user.location | | gps | 47° 38.73° N, 122° 18.43° W | .60° 0 | 13:11:04.023 2/22/2000 | degrees/minutes | 2 |
| user.location | | ips | 47° 38.745° N, 122° 18.424° W | 0° .021' | 13:11:01.118 | degrees/minutes | 2 |
| user.elevation | | ips | 22.25 | .5 | 13:11:06.565 2/22/2000 | meters | _ |
| user.in_region | | region_analysis | none | none | none | none | 1 |
| 6 | -911 | 912 | -913 | 914 | 915 | 916 | 917 |
| | | | Hi | Fig. 9 | | | |


| condition table | first logical second logical comparison value logi | analysis user.in_region none TRUE = | <u></u> |
|-----------------|--|-------------------------------------|---------|
| | context client name | region_analysis user | _1012 |
| | condition name | 1001—in_region_true | _1011 |
| 1000 | | 1001 | |

| je | p | | 1118 |
|-------------------------|--|---------------------------------------|----------|
| onitor tak | stoppe | 00 | |
| condition monitor table | trigger handler reference | (reference) | 5 - 1117 |
| | condition last evaluated | 13:11:29.101 2/22/2000 | 1116 |
| | frequency | 30 | 1115 |
| | behavior | TRUE or FALSE | 1114 |
| | condition name behavior frequency condition last trigger handler stopped evaluated reference | in_region_true TRUE or 30 FALSE | 1113 |
| | context client name | region_analysis | _1112 |
| | condition monitor name | region_boundary_ 1101~ crossed | _1111 |
| 1100 | | 1101/ | |

Fig. 11

| | | | | | | | condition monitor table | nitor table | |
|--------------|---------------------------|--|--|------------------|-----------|-----------------------------|------------------------------|-------------|----------|
| condi | condition monitor name | context client name | condition name behavior frequency condition last trigger handler stopped evaluated reference | behavior | frequency | condition last evaluated | trigger handler reference | stopped | |
| region_bound | boundary_ | region_boundary_ region_analysis crossed | in_region_true TRUE or 30 FALSE | TRUE or FALSE | 30 | 13:11:59.101 2/22/2000 | (reference) | yes | |
| | ~1211 | -1212 | 1213 | 1214 | 4 -1215 | 1216 | 1217 | 1218 | <u>∞</u> |
| | | | | | | | | | |

Fig. 12



| | | attribute request table | |
|-------|---------------------|--------------------------|--|
| | attribute name | context client name | |
| 1401~ | user.location | distance_from_home | |
| 1402~ | user.in_region | location_map | |
| 1403~ | user.location [gps] | location_region_analysis | |
| | user elevation | location_map | |
| | 1411 | -1412 | |

Fig. 14

| 2.27 | |
|---|---|
| | |
| User. | Platform. (continued) |
| Desired_privacy_level | CPU. |
| Interruptibility | Load |
| Speed | Speed Fig. 15 |
| Direction | Memory. |
| Acceleration | Total_capacity |
| Availability. | Used |
| Cognitive_availability | Storage. |
| Tactile_availability | Total_capacity |
| Manual_availability | Used |
| Visual_availability | Connectivity. |
| Oral_availability | Connection_status |
| Auditory_availability | Connection_speed |
| Proximity. <item name="" or="" place=""></item> | Connection_type/device |
| Mood. | Connection activity |
| Happiness | Power. |
| Sadness | Power source |
| Anger | Power level |
| Frustration | Environment. |
| Confusion | People. |
| Activity. | Nearest |
| Driving | Number present |
| Eating | Number close |
| Running | Local. |
| Sleeping | Time |
| Talking | Date |
| _ | — · · |
| Typing Walking | Temperature Pressure |
| Location. | Wind_speed |
| | - - |
| Place_name Latitude | Wind_direction |
| | Absolute_humidity |
| Longitude | High_forecast_temperature |
| Altitude | Low_forecast_temperature |
| Room | People_present |
| Floor | Ambient_noise_level |
| Building | Ambient_light_level |
| Address | Days. <pre>previous or future>.</pre> |
| Street | High_temperature |
| City | Low_temperature |
| County | Precipitation_type |
| State | Precipitation_amount |
| Country | Place. < place name >. (same as Environment. Local) |
| Postal_Code | Application. |
| Destination. (same as User.Location.) | Mail. |
| Physiology. | Available |
| Pulse | New_messages_waiting |
| Body_temperature | Messages_waiting_to_be_sent |
| Blood_pressure | Phone. |
| Respiration | Available |
| Person. < name or ID > . (same as User.) | In_use |
| Platform. | On/off |
| UI. | Notification_mechanism |
| Oral_input_device_availability | Call_incoming |
| Manual_input_device_availability | Caller_ID |
| Tactile_output_device_availability | Sound_recorder. |
| Visual_output_device_availability | Available |
| Auditory_output_device_availability | Recording |

- 1) User Setting
- Mental Context
 - i) Meaning
 - ii) Cognition
 - (1) Divided User Attention
 - (2) Task Switching
 - (3) Background Awareness
 - iii) Solitude
 - iv) Privacy
 - (1) Desired Privacy
 - (2) Perceived Privacy
 - v) Social Context
 - vi) Affect
 - b) Physical Situation
 - i) Body
 - (1) Biometrics
 - (2) Posture
 - (3) Motion
 - (4) Physical Encumberment
 - (a) Senses
 - (i) Eyes
 - (ii) Ears
 - (iii) Tactile
 - (iv) Hands
 - (v) Nose
 - (vi) Tongue
 - (b) Workload demands/effects
 - (c) Interaction with computer devices
 - (d) Interaction with people
 - (e) Physical Health
 - ii) Environment
 - (1) Time/Space
 - (2) Objects
 - (3) Persons
 - (a) Audience/Privacy Availability
 - (i) Scope of Disclosure
 - (ii) Hardware affinity for privacy
 - (iii) Privacy Indicator for User
 - (iv) Privacy Indicator for Public
 - (v) Watching Indicator
 - (vi) Being Observed Indicator
 - (4) Ambient Interference
 - (a) Visual
 - (b) Audio
 - (c) Tactile

2) Computer

- a) Power
- b) Configuration
 - i) User Input Systems
 - (1) Hand/Haptic
 - (a) Keyboard/Keystrokes

Fig. 16

- (2) Voice/Audio
- (3) Eye Tracking
- (4) Cursors
 - (a) Axis
 - (b) Resolution
 - (i) Selection
 - (ii) Invocation
 - (c) Accelerators
- ii) Output Systems
 - (1) Visual
 - (a) Resolution
 - (2) Audio
 - (a) Public/Private
 - (3) Haptic
- iii) External Resources
 - (1) I/O devices
 - (2) Connectivity
- c) Data
 - i) Quantity/State
 - ii) Urgency/Importance
 - (1) Use of Prominence
 - iii) Modality
 - iv) Sensitivity/Purpose
 - (1) Privacy Issues
 - (2) Use of Association
 - (3) Use of Safety
 - v) Source/Ownership
 - (1) Types
 - (a) User generated
 - (b) Other computers or people
 - (c) Sensor
 - (d) PC State
 - (2) Use of Association

